

## Critical & Community Facility Vulnerability Assessment 2018

of Webster

## HMC Meeting 2

12/5/2017

## Town to fill in information

How many parcels are within the Town:	#
Net Valuation of Buildings and Land, 2017	\$208,835,885
Total Structure ONLY Value of ALL Structures:	\$126,917,700
Total Value of ALL Utilities in Town:	\$20,522,000

Source of data for each row (MS-1? Assessing?): \_\_\_\_\_ NHDRA 2017 Annual Report

**Goal: List each Critical or Vulnerable Facility in only 1 Table, choose the most applicable Table for the Facility. Each Facility will be placed on Map 3 Critical Facilities with HMC help.**

### USE Hazard Risk Assessment Natural Hazards (not Secondary Hazards)

*\*not natural but associated with Flood/Wind*

- ❖ FLOOD [Floods and Flash Floods, Rapid Snow Pack Melt]
- ❖ ICE JAMS [River Ice Jams]
- ❖ SCOURING, EROSION [Riverine Scouring, Erosion, Channel Movement]
- ❖ WIND [Tornadoes, Downbursts, Hurricanes and Tropical Storms]
- ❖ STORMS [Severe Winds, Rain Storms and Thunder Storms]
- ❖ LIGHTNING
- ❖ WILDFIRE
- ❖ WINTER [Severe Winter Weather and Ice Storms]
- ❖ DROUGHT
- ❖ HEAT [Excessive Heat]
- ❖ EARTHQUAKE
- ❖ LANDSLIDE
- ❖ DAM [Dam Failure]\*
- ❖ DEBRIS [Debris Impacted Infrastructure]\*

USE Other Hazards if Necessary:

- ❖ HAZARDOUS MATERIALS
- ❖ PUBLIC HEALTH
- ❖ SABOTAGE, VANDALISM, CIVIL DISTURBANCE, HOSTAGE

Table Essential Facilities	Review & revise Facilities, Ensure 911 Address and Current Phone		Town to insert Value \$ from assessing software	❖ SABOTAGE, VANDALISM, CIVIL DISTURBANCE	
				IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)	
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities	
Town Hall/ Webster Free Public Library/ Grange Complex	945 Battle Street	648-2272 TH 648-2706 Li	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <b>Public Health, Sabotage, Civil Disturbance</b>	
Public Safety Building - Police & Fire	851 Battle Street	648-2200 P 648-2500 F	\$0	<b>Flood due to dam breach</b> , Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, <b>Hazardous Materials, Public Health, Sabotage</b>	
Blackwater Dam Office	43 White Plains Road	648-6028	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <b>Public Health, Sabotage, Explosion</b>	
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous <b>Materials, Public Health, Sabotage</b>	
			\$0		
			\$0		
			\$0	<b>Total Facilities Structure Only Replacement Value</b>	

**Identify at least 1-2 for each Table**

### Problem Statement:

### Problem Statement:

### Problem Statement:

Table			
Utilities	Review & revise Facilities, Ensure 911 Address and Current Phone	Town to insert Value \$ from assessing software	IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Pillsbury Lake Pumping Station	Pillsbury Lake District	746-3191	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage, <b>Power Failure/Natural disaster</b>
Wells at Pillsbury Lake	Pillsbury Lake District	746-3191	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage, <b>Power Failure/Natural disaster</b>
Eastern Towers Cell Tower	110 Pearson Hill Road	(617) 549-2800	\$0	Flood, Ice Jam, Scouring & Erosion, <b>High Winds</b> , Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Communication Disruption</b>
US Cellular Cell Tower	8 Dustin Road	(773) 399-8900	\$0	Flood, Ice Jam, Scouring & Erosion, <b>High Winds</b> , Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide
PSNH Power Lines	Various Locations	None	\$0	Flood, Ice Jam, Scouring & Erosion, <b>High Winds</b> , Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Tree uprooting</b>
Unitil Power Lines	Various Locations	None	\$0	Flood, Ice Jam, Scouring & Erosion, <b>High Winds</b> , Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Tree uprooting</b>
TDS Phone Switching Station	Deer Meadow Road	746-9911	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Vandalism, Communication Disruption</b>
TDS Phone Switching Station	Tyler Road	746-9911	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Vandalism, Communication Disruption</b>
TDS Phone Switching Station	Allen Road	746-9911	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Vandalism, Communication Disruption</b>
TDS Phone Switching Station	White Plains Road	746-9911	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Vandalism, Communication Disruption</b>
TDS Phone Switching Station (future)	Little Hill Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, <b>Vandalism, Communication Disruption</b>
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
Electric Value provided by NHDRA 2016			\$0	Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table

High Hazard

Significant Hazard

Low Hazard

Dams

IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Facility Name	Height in Feet & Acres Impounded	NHDES Hazard Classification	Location	Estimated Average NH Dam Structure <u>REPAIR</u> Cost \$*	Primary Natural Hazard Vulnerabilities
Blackwater Dam	75 Feet, 490 Acres	High	Blackwater River	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms, Terrorism
Pillsbury Lake Dam	13 Feet, 67 Acres	Low	Deer Meadow Brook	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
Winnepocket Lake Dam	6.5 Feet, 227 Acres	Low	TR Schoodac Brook	\$500,000	Flood, Severe Winter Weather, Severe Wind Events, Severe Rainstorms, Debris Impacted Infrastructure
Knight Meadow Pond Dam	9 Feet, 50 Acres	Low	Knight Meadow Brook	\$500,000	Flood, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
Farm Pond Dam	15 Feet, 2 Acres	Non-Menace	Unnamed Stream	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
McCarthy Farm Pond Dam	6 Feet, 0.12 Acres	Non-Menace	Unnamed Stream	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
Recreation Pond	15 Feet, 0.33 Acres	Non-Menace	Unnamed Stream	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
Janeway Dam	9 Feet, 0.23 Acres	Non-Menace	Unnamed Stream	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
Diversion Pond Dam	10 Feet, 0.5 Acres	Non-Menace	Blackwater River	\$500,000	Flood, Debris Impacted Infrastructure, Severe Winter Weather, Severe Wind Events, Severe Rainstorms
				\$0	
Source: NHDES Dam Hazard Classification GIS Database, Mar 2016; *American Society of Civil Engineers NH Infrastructure Report Card, 2011				\$4,500,000	Total Facilities Structure Estimated REPAIR Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table

Redlist Bridges

Other Town Bridges

Bridges

IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Facility Name	Location (Intersection)	NH DOT Municipal Redlist Classification NBI Ratings Provided for Redlisted	Phone	Structure REHABILITATION Value \$ Estimated from NHDOT Redlisted Bridges Summary 2015	Annual Average Daily Traffic (Year)	Primary Natural Hazard Vulnerabilities* with National Bridge Inventory (NBI) Scour Critical Status
066/113 (Town)	White Plains Road over Meadow Brook	Not Applicable	648-2272	\$0	440 (2013)	NBI Scour Critical Rating: Stable for extreme flood
099/123 (State)	NH 127 over Blackwater River	Structurally Deficient	271-3667	\$0	1,200 (2013)	NBI Scour Critical Rating: Stable for extreme flood
111/081 (State)	Tyler Road over Blackwater River	Not Deficient	271-3667	\$0	240 (2013)	NBI Scour Critical Rating: Stable for extreme flood
121/103 (Town)	Clothespin Bridge Road over Blackwater River	Structurally Deficient	648-2272	\$0	500 (2013)	NBI Scour Critical Rating: Stable for extreme flood
124/031 (State)	Tyler Road over Blackwater River	Not Deficient	271-3667	\$0	240 (2013)	NBI Scour Critical Rating: Stable for extreme flood
140/070 (Town)	Deer Meadow Road over Deer Meadow Brook	Not Deficient	648-2272	\$0	620 (2013)	NBI Scour Critical Rating: Stable for extreme flood
066/084 (Town) in Boscawen per NHDOT	Corn Hill Road over Pond Brook	Not Applicable	648-2272	\$0	640 (2011)	NBI Scour Critical Rating: Stable for extreme flood
068/145 (Town) in Boscawen per NHDOT	Long Street over Beaver Dam Brook	Not Applicable	648-2272	\$0	130 (2014)	NBI Scour Critical Rating: Stable for extreme flood
				\$0		
Sources: NHDOT GIS Bridges database, February 2016; NHDOT Bridges Summary, March 2015; Federal Highway Administration National Bridge Inventory (NBI), Scour Critical Bridges*				\$0	Total Facilities Structure Estimated REHABILITATION Value	

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table  
Shelters, Schools, and  
Medical Facilities

Review & revise Facilities, Ensure 911 Address and Current Phone		Town to insert Value \$ from assessing software		IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Austin Home	532 White Planes Road	456-3525	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Elementary School	936 Battle Street	648-2467	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Table

Vulnerable Populations

Review & revise Facilities, Ensure 911 Address and Current Phone			Town to insert Value \$ from assessing software	IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
K-5 Elemntary School	936 Battle Street	648-2467	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Public Health
Yound's Day Care	292 Tyler Road	746-5702	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Public Health
Chris's Day Care	1369 Battle Street	648-6641	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Public Health
Austin Home	532 White Plains Road	456-3525	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Public Health
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
see also Shelters, Schools and Medical Facilities Table			\$0	
			\$0	Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:  
Problem Statement:  
Problem Statement:

Table

Economic Assets

Review & revise Facilities, Ensure 911 Address and Current Phone			Town to insert Value \$ from assessing software	IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Basketmaker's Shop	45 Mutton Road	648-2268	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage
Bear Hill Blacksmith	99 Winnepocket Road	746-4975	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage
Cedar Mill Group LLC	334 Deer Meadow Rd	225-6911	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage
Cloverdale Feeds	299 Battle Street	746-3234	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage
Coffin Cellars	1224 Battle Street	731-4563	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage
Drown Farm	1345 Battle Street	648-2210	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, Public Health, Sabotage

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Mellen Company	1260 Battle Street	648-2121	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del> , <del>Fire Explosion</del>
New England Right of Way	256 Clough-Sanborn Hill Rd	746-3586	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
NH Bowl & Bread	1213 Battle Street	648-9566	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
Rich Gagne's Auto	97 Deer Meadow Road	746-2699	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
Robert's Greenhouse	1020 Long Street	648-2142	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
Santa Cruz Gun Locks, LLC	450 Tyler Road	746-7740	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
Steel Umbrella	662 White Plains Rd	456-2109	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
Stevens Well and Pump	593 Battle St	689-4563	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del>
White Mountain Imaging	1617 Battle Street	648-2124	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Hazardous Materials, <del>Public Health, Sabotage</del> , <del>Fire Explosion</del>
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, <del>Public Health, Sabotage</del>
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
see also Hazardous Materials Table			\$0	
			\$0	Total Facilities Structure Only Replacement Value

FARMS??

Identify at least 1-2 for each Table

Problem Statement:  
Problem Statement:  
Problem Statement:

Table

Cemeteries and Churches

Review & revise Facilities, Ensure 911 Address and Current Phone			Town to insert Value \$ from assessing software	IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)
Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities

## Critical & Community Facility Vulnerability Assessment 2018

of Webster

## HMC Meeting 2

12/5/2017

Riverdale Cemetery	Tyler Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Beaverdam Cemetery	Long Street	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
First Congregational Church	1011 Long Street	648-2128	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Corser Hill Cemetery	Allen Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Private Cemetery	Clough and Sanborn Hill Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	Total Facilities Structure Only Replacement Value

**Identify at least 1-2 for each Table**

### Problem Statement:

### Problem Statement:

### Problem Statement:

## Table

## Hazardous Materials Facilities

**Review & revise Facilities,  
Ensure 911 Address and  
Current Phone**

**Town to insert  
Value \$ from  
assessing  
software**

**IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)**

Facility Name	Street Address (911)	Phone	Structure Replacement Value	Primary Natural Hazard Vulnerabilities
Rose's Garage	78 Tyler Road	746-6511	\$	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, <b>Explosion, Haz mat spill</b>
Blackwater Dam	22 White Plains Road	648-6028	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, <b>Explosion, Haz mat spill</b>
Maintenance Garage				
Copart of CT. Inc.	111 Deer Meadow Road	746-8110	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, <b>Explosion, Haz mat spill</b>
Hopkinton/Webster Transfer Station	491 E Penacook Rd, Hopkinton	746-3810	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, <b>Wildfire</b> , Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
see also Economic Assets Table			\$0	
			\$0	Total Facilities Structure Only Replacement Value

## Critical & Community Facility Vulnerability Assessment 2018

of Webster

## HMC Meeting 2

12/5/2017

**Identify at least 1-2 for each Table**

### Problem Statement:

### Problem Statement:

### Problem Statement:

## Table

## Historic Sites and Buildings

**Review & revise Facilities,  
Ensure 911 Address and  
Current Phone**

**Town to insert  
Value \$ from  
assessing  
software**

**IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)**

<b>Facility Name</b>	<b>Street Address (911)</b>	<b>Phone</b>	<b>Structure Replacement Value \$</b>	<b>Primary Natural Hazard Vulnerabilities</b>
<b>Webster Meeting House</b>	Battle Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
<b>Hymar Fire Station</b>	Battle Street		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
<b>Veteran's Memorial</b>	Allen Road		\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			<b>\$0</b>	<b>Total Facilities Structure Only Replacement Value</b>

**Identify at least 1-2 for each Table**

### Problem Statement:

### Problem Statement:

### Problem Statement:

## Table

## Recreational and Gathering Sites

**Review & revise Facilities,  
Ensure 911 Address and  
Current Phone**

*Town to insert  
Value \$ from  
assessing  
software*

**IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)**

Facility Name	Street Address (911)	Phone	Structure Replacement Value \$	Primary Natural Hazard Vulnerabilities
Army Corp Flood Control Recreation Area	Guide Board Hill Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Blackwater Reservoir	Webster/Salisbury BW Basin	648-6028	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Cogswell Woods Area	Battle Street	648-6028	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Cozy Pond Camping Resort	541 Battle Street	428-7701	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Gaskill Forest	Tyler Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Mock Forest	Battle Street	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide

# Critical & Community Facility Vulnerability Assessment 2018

of Webster

HMC Meeting 2

12/5/2017

Pearson Park (swimming hole)	936 Battle Street	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Pillsbury Lake Club House	396 Deer Meadow Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Pillsbury Lake Playground	Franklin Pierce Drive	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
Webster Free Public Library	945 Battle Street	648-2706	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
White Plains Road Park	White Plains Road	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
William Pearson Memorial Baseball and Soccer Fields	Battle Street	None	\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide, Dam Failure, Debris, Hazardous Materials, Public Health, Sabotage
			\$0	
			\$0	
			\$0	
			\$0	
see also Vulnerable Populations Table			\$0	
			\$0	Total Facilities Structure Only Replacement Value

Identify at least 1-2 for each Table

Problem Statement:

Problem Statement:

Problem Statement:

Table

Future Development

Town to insert  
Value \$ from  
assessing  
software

IDENTIFY 3-4 MAIN Natural Hazards each Facility could be susceptible to (not human or technological unless important)

Opportunity Name	Location	Type of Facility	LAND Only Value \$ As Applicable	Primary Natural Hazard Vulnerabilities
Potential or Approved Planning Board Developments				
			\$0	Flood, Ice Jam, Scouring & Erosion, Wind, Storms, Lightning, Wildfire, Winter, Drought, Heat, Earthquake, Landslide
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
Large Lots with Development Potential (Legacy Parcels)				
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
Lots for Sale			Listing price per web sites	

## Critical & Community Facility Vulnerability Assessment 2018

## of Webster

## HMC Meeting 2

12/5/2017

			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	Total LAND Only Replacement Value (Approved Parcels + Parcels for Sale)

**Identify at least 1-2 for each Table**

**Problem or Opportunity:**

**Problem or Opportunity:**

**Problem or Opportunity:**

### USE Hazard Risk Assessment Natural Hazards (not Secondary Hazards)

\*not natural but associated with Flood/Wind

- ❖ FLOOD [Floods and Flash Floods, Rapid Snow Pack Melt]
- ❖ ICE JAMS [River Ice Jams]
- ❖ SCOURING, EROSION [Riverine Scouring, Erosion, Channel Movement]
- ❖ WIND [Tornadoes, Downbursts, Hurricanes and Tropical Storms]
- ❖ STORMS [Severe Winds, Rain Storms and Thunder Storms]
- ❖ LIGHTNING
- ❖ WILDFIRE
- ❖ WINTER [Severe Winter Weather and Ice Storms]
- ❖ DROUGHT
- ❖ HEAT [Excessive Heat]
- ❖ EARTHQUAKE
- ❖ LANDSLIDE
- ❖ DAM [Dam Failure]\*
- ❖ DEBRIS [Debris Impacted Infrastructure]\*

**USE Other Hazards if Necessary:**

- ❖ HAZARDOUS MATERIALS
- ❖ PUBLIC HEALTH
- ❖ SABOTAGE, VANDALISM, CIVIL DISTURBANCE, HOSTAGE

**Goal: List each Critical or Vulnerable Facility in only 1 Table, choose the most applicable Table for the Facility. Each Facility will be placed on Map 3 Critical Facilities with HMC help.**